

Antivirals - your questions answered

nsw.gov.au/covid-19/management/antivirals

Answers to frequently asked questions about antivirals for COVID-19 treatment.

Last updated: 10 June 2022

On this page

- What are antivirals?
- How do antivirals for COVID-19 work?
- What kind of antivirals are available in NSW?
- Who is eligible to receive antivirals?
- <u>I am at higher risk of severe illness from COVID-19 and have tested positive. H</u> ow can I access antivirals?
- Why can't everyone access antivirals?
- Are there any side effects?
- Who are antiviral treatments NOT recommended for?
- How much do oral antivirals cost?
- More information
- Fact sheet: Plan ahead if you are at higher risk of severe illness from COVID-1

 9 and flu in your language
- Social tile: Contact your doctor if you test positive for COVID-19 in your lang uage

What are antivirals?

Antivirals are medicines that help stop a virus infecting healthy cells or multiplying in the body. Fortunately, we have antivirals that work against COVID-19. They work best when taken as soon as possible, usually within five days from when your symptoms start.

They come in either pill form to be taken by the mouth or can be given intravenously (directly into the bloodstream).

COVID-19 antivirals do not work against other viruses like the flu. They are only prescribed to eligible people who have tested positive to COVID-19 through a RAT or PCR test.

Printed: 25 May 2022

How do antivirals for COVID-19 work?

Antiviral treatments target the virus (SARS-CoV-2) that causes COVID-19 to prevent it infecting healthy cells in your body and multiplying. This helps stop the spread of the virus through your body and helps your immune system to fight off the infection.

By reducing how severe the illness is, you are less likely to go to hospital, develop breathing difficulties, need assistance with oxygen or intensive care treatment, or die from COVID-19. It's important to note that antivirals are not a substitute for vaccination.

What kind of antivirals are available in NSW?

The Therapeutic Goods Administration (TGA) has approved two oral antiviral treatments for COVID-19 in Australia called Lagevrio® (molnupiravir) and Paxlovid® (nirmatrelvir + ritonavir). They are both available in NSW.

Most people who are eligible for antivirals will be prescribed oral antivirals, which come in tablet or capsule form, so you can take these medicines at home rather than needing to go to hospital for treatment. There are some other options available such as antiviral injections and in those cases your doctor may advise you to go to a hospital or clinic to receive your antiviral treatment intravenously. Your GP will let you know the best treatment option for you.

For more information on antivirals available in NSW read the below medicine information sheets:

- <u>Lagevrio® (molnupiravir)</u> (https://www.cec.health.nsw.gov.au/__data/asset s/pdf_file/0008/702818/Information-for-patients-family-and-carers-molnupiravi r.PDF)
- Paxlovid® (nirmatrelvir + ritonavir) (https://www.cec.health.nsw.gov.au/_data/assets/pdf_file/0020/702821/Information-for-patients-family-and-carers-nirmatrelvir-and-ritonavir.PDF)

Who is eligible to receive antivirals?

If you test positive to COVID-19, have symptoms, are at https://www.health.nsw.gov.au/Infectious/covid-19/Documents/covid-info-high-risk-people.pdf) from COVID-19 but do not require hospitalisation, you may be eligible for antiviral or other early treatment for COVID-19.

Those at higher risk of severe illness from COVID-19 are:

- People aged 60 years and older.
- · Pregnant women.

- Aboriginal, Torres Strait Islander and Pacific Islander people (from age 35 years and over).
- People with obesity, diabetes, serious cardiovascular disease, chronic lung disease (including severe asthma requiring hospitalisation in last 12 months), severe chronic liver or kidney disease, active cancer or who are immunocompromised.
- Some people with a disability including those with a disability that affects their lungs, heart or immune system.
- Residents of aged care and disability care facilities.
- People aged 18 years and older who are unvaccinated.

If you identify as being higher risk, plan ahead. Speak to your doctor (GP) now about antiviral or other early treatment for COVID-19 so you understand your options if you get COVID-19.

I am at higher risk of severe illness from COVID-19 and have tested positive. How can I access antivirals?

If you test positive to COVID-19 or register a positive rapid antigen test, you'll receive a survey link and some questions from NSW Health via SMS.

We are working with Healthdirect Australia, the national government-funded virtual health provider, to help people at higher risk to access antivirals. If you're identified as higher risk after completing the survey, you will receive a SMS from Healthdirect Australia about discussing antivirals with your GP.

You will only be sent a SMS from Healthdirect Australia if you have:

- received a positive COVID-19 test result or registered a positive rapid antigen test
- completed the survey you receive from NSW Health
- been identified as being at higher risk of severe illness.

Please call your GP to discuss antivirals or other early treatments, as soon as you have tested positive to COVID-19. Antivirals work best when taken early and within 5 days from when your symptoms start.

If your GP says you are eligible for oral antivirals, they will send you a prescription (online or paper copy) so you can get the medication from a pharmacy or hospital clinic.

If you are prescribed antivirals, it's recommended you ask your pharmacy to arrange home delivery for your medication or ask someone to collect it on your behalf and drop it off.

If you believe you are at high-risk of getting seriously ill from COVID-19 and have not received the NSW Health survey and not been able to get in touch with your GP, you can contact Healthdirect on 1800 022 222 (https://www.nsw.gov.au/tel:1800 022 222)

and/ or NSW Health's COVID and Flu care at home support line on 1800 960 933 (https://www.nsw.gov.au/tel:1800 960 933). Nurses on the line will be able to assist you with your inquiry.

Why can't everyone access antivirals?

Antivirals can only be used in the early stages of infection and are not suitable for everyone. Most people can manage COVID-19 safely at home without the need for antivirals. They may be beneficial to people who are at higher risk of progressing to severe illness, depending on their circumstances.

Are there any side effects?

All medicines can potentially have side effects but most will disappear with time or when you stop treatment.

Antiviral side effects vary depending on what medicine you are being treated with. Please read the medicine information sheets below for more information on side effects:

- <u>Lagevrio® (molnupiravir)</u> (https://www.cec.health.nsw.gov.au/__data/asset s/pdf_file/0008/702818/Information-for-patients-family-and-carers-molnupiravi r.PDF)
- Paxlovid® (nirmatrelvir + ritonavir) (https://www.cec.health.nsw.gov.au/__d ata/assets/pdf_file/0020/702821/Information-for-patients-family-and-carers-nir matrelvir-and-ritonavir.PDF)

As antiviral medicines are new, information about how well they work is still being collected. That's why it is important to speak to your doctor and see if you are eligible for the treatments. Your doctor will tell you if they are safe for you to use.

Who are antiviral treatments NOT recommended for?

Each antiviral medication is different, so it's important to read the medicine information sheet before treatment to see if you are suitable. You can access the information here:

- <u>Lagevrio® (molnupiravir)</u> (https://www.cec.health.nsw.gov.au/__data/asset s/pdf_file/0008/702818/Information-for-patients-family-and-carers-molnupiravi r.PDF)
- Paxlovid® (nirmatrelvir + ritonavir) (https://www.cec.health.nsw.gov.au/_d ata/assets/pdf_file/0020/702821/Information-for-patients-family-and-carers-nir matrelvir-and-ritonavir.PDF)

How much do oral antivirals cost?

Oral antivirals, Lagevrio® and Paxlovid® are available on the Pharmaceutical Benefits Scheme (PBS) in Australia and are heavily subsidised. There are specific PBS eligibility criteria for antivirals and if you meet the criteria you can access antivirals at a minimal cost. You doctor or pharmacist can advise you.

More information

Please read more information on <u>oral antivirals on NPS Medicinewise</u> (<u>https://www.nps.org.au/coronavirus/factsheet-oral-covid-19-medicines</u>).

Fact sheet: Plan ahead if you are at higher risk of severe illness from COVID-19 and flu - in your language

- Amharic (১প্রের্র) Plan ahead if you are at higher risk of severe illness from C

 OVID-19 and flu (PDF, 101KB) (https://www.health.nsw.gov.au/Infectiou
 s/covid-19/Documents/translated/plan-ahead-covid-flu-amharic.pdf)
- <u>Arabic (العربية) Plan ahead if you are at higher risk of severe illness from COVI</u>

 <u>D-19 and flu (PDF, 108KB)</u> (https://www.health.nsw.gov.au/Infectious/covid-19/Documents/translated/plan-ahead-covid-flu-arabic.pdf)
- Armenian (hwյերեն) Plan ahead if you are at higher risk of severe illness fro m COVID-19 and flu (PDF, 72KB) (https://www.health.nsw.gov.au/Infectio us/covid-19/Documents/translated/plan-ahead-covid-flu-armenian.pdf)
- Assyrian () Plan ahead if you are at higher risk of severe illness from COVID-19 and flu (PDF, 100KB) (https://www.health.nsw.gov.au/Infectious/covid-19/Documents/translated/plan-ahead-covid-flu-assyrian.pdf)
- <u>Bangla (বাংলা)</u> <u>Plan ahead if you are at higher risk of severe illness from COVI</u>

 <u>D-19 and flu (PDF, 119KB)</u> (<u>https://www.health.nsw.gov.au/Infectious/covid-19/Documents/translated/plan-ahead-covid-flu-bangla.pdf)</u>
- Burmese () Plan ahead if you are at higher risk of severe illness from COVID-19 and flu (PDF, 129KB) ☐ → (https://www.health.nsw.gov.au/Inf ectious/covid-19/Documents/translated/plan-ahead-covid-flu-burmese.pdf)
- Chinese-Simplified (简体中文) Plan ahead if you are at higher risk of severe ill ness from COVID-19 and flu (PDF, 108KB) (https://www.health.nsw.gov.a u/Infectious/covid-19/Documents/translated/plan-ahead-covid-flu-cs.pdf)

- Chinese-Traditional (繁體中文) Plan ahead if you are at higher risk of severe il Iness from COVID-19 and flu (PDF, 108KB) (https://www.health.nsw.gov. au/Infectious/covid-19/Documents/translated/plan-ahead-covid-flu-ct.pdf)
- English Plan ahead if you are at higher risk of severe illness from COVID-19

 and flu (PDF, 91KB)

 (https://www.health.nsw.gov.au/Infectious/covid-19/

 Documents/translated/plan-ahead-covid-flu-english.pdf)
- <u>Farsi (فارسی)</u> <u>Plan ahead if you are at higher risk of severe illness from COVID</u>

 -19 and flu (PDF, 102KB) (https://www.health.nsw.gov.au/Infectious/covid-19/Documents/translated/plan-ahead-covid-flu-farsi.pdf)
- French (Français) Plan ahead if you are at higher risk of severe illness from COVID-19 and flu (PDF, 90KB) ☐ → (https://www.health.nsw.gov.au/Infectious/covid-19/Documents/translated/plan-ahead-covid-flu-french.pdf)
- <u>Gujarati (গুপ্থনা) Plan ahead if you are at higher risk of severe illness from CO</u>

 <u>VID-19 and flu (PDF, 86KB)</u> (https://www.health.nsw.gov.au/Infectious/co
 <u>vid-19/Documents/translated/plan-ahead-covid-flu-gujarati.pdf)</u>
- <u>Hazaragi (آزرگی)</u> <u>Plan ahead if you are at higher risk of severe illness from CO</u>

 <u>VID-19 and flu (PDF, 101KB)</u> (https://www.health.nsw.gov.au/Infectious/c

 <u>ovid-19/Documents/translated/plan-ahead-covid-flu-hazaragi.pdf)</u>
- Hebrew (עברית) Plan ahead if you are at higher risk of severe illness from CO

 VID-19 and flu (PDF, 61KB) (https://www.health.nsw.gov.au/Infectious/co

 vid-19/Documents/translated/plan-ahead-covid-flu-hebrew.pdf)
- <u>Hindi (हिन्दी) Plan ahead if you are at higher risk of severe illness from COVID-19 and flu (PDF, 109KB)</u> (https://www.health.nsw.gov.au/Infectious/covid-19/Documents/translated/plan-ahead-covid-flu-hindi.pdf)
- <u>Hungarian (Magyar) Plan ahead if you are at higher risk of severe illness fro</u>

 <u>m COVID-19 and flu (PDF, 98KB)</u>

 <u>(https://www.health.nsw.gov.au/Infectious/covid-19/Documents/translated/plan-ahead-covid-flu-hungarian.pdf)</u>
- Indonesian (bahasa) Plan ahead if you are at higher risk of severe illness fro m COVID-19 and flu (PDF, 90KB) (https://www.health.nsw.gov.au/Infectio us/covid-19/Documents/translated/plan-ahead-covid-flu-indonesian.pdf)
- Khmer (_____) Plan ahead if you are at higher risk of severe illness from C

 OVID-19 and flu (PDF, 106KB) (https://www.health.nsw.gov.au/Infectious/covid-19/Documents/translated/plan-ahead-covid-flu-khmer.pdf)

- <u>Kirundi Plan ahead if you are at higher risk of severe illness from COVID-19</u>

 <u>and flu (PDF, 90KB)</u>

 <u>(https://www.health.nsw.gov.au/Infectious/covid-19/Documents/translated/plan-ahead-covid-flu-kirundi.pdf)</u>
- Korean (한국어) Plan ahead if you are at higher risk of severe illness from CO

 VID-19 and flu (PDF, 79KB) (https://www.health.nsw.gov.au/Infectious/co

 vid-19/Documents/translated/plan-ahead-covid-flu-korean.pdf)
- <u>Macedonian (Македонски) Plan ahead if you are at higher risk of severe illne</u>
 ss from COVID-19 and flu (PDF, 106KB) (https://www.health.nsw.gov.au/l
 nfectious/covid-19/Documents/translated/plan-ahead-covid-flu-macedonian.p
 df)
- Malayalam (മലയാളം) Plan ahead if you are at higher risk of severe illness fro m COVID-19 and flu (PDF, 80KB) (https://www.health.nsw.gov.au/Infectio us/covid-19/Documents/translated/plan-ahead-covid-flu-malayalam.pdf)
- Maltese (Malti) Plan ahead if you are at higher risk of severe illness from CO
 VID-19 and flu (PDF, 107KB) (https://www.health.nsw.gov.au/Infectious/c ovid-19/Documents/translated/plan-ahead-covid-flu-maltese.pdf)
- Polish (Język polski) Plan ahead if you are at higher risk of severe illness fro m COVID-19 and flu (PDF, 108KB) (https://www.health.nsw.gov.au/Infectious/covid-19/Documents/translated/plan-ahead-covid-flu-polish.pdf)
- Punjabi (ਪੰਜਾਬੀ) Plan ahead if you are at higher risk of severe illness from CO

 VID-19 and flu (PDF, 97KB) (https://www.health.nsw.gov.au/Infectious/co
 vid-19/Documents/translated/plan-ahead-covid-flu-punjabi.pdf)
- Russian (Русский) Plan ahead if you are at higher risk of severe illness from COVID-19 and flu (PDF, 108KB) ☐ → (https://www.health.nsw.gov.au/Infectious/covid-19/Documents/translated/plan-ahead-covid-flu-russian.pdf)
- Spanish (Español) Plan ahead if you are at higher risk of severe illness from COVID-19 and flu (PDF, 91KB)
 ☐ → (https://www.health.nsw.gov.au/Infectiou s/covid-19/Documents/translated/plan-ahead-covid-flu-spanish.pdf)
- Swahili (Kiswahili) Plan ahead if you are at higher risk of severe illness from COVID-19 and flu (PDF, 90KB)
 ☐ → (https://www.health.nsw.gov.au/Infectiou s/covid-19/Documents/translated/plan-ahead-covid-flu-swahili.pdf)
- <u>Urdu (اُرِكُو)</u> Plan ahead if you are at higher risk of severe illness from COVID-1

 9 and flu (PDF, 106KB) (https://www.health.nsw.gov.au/Infectious/covid-19/Documents/translated/plan-ahead-covid-flu-urdu.pdf)
- <u>Vietnamese (Tiếng Việt) Plan ahead if you are at higher risk of severe illness</u>

 <u>from COVID-19 and flu (PDF, 108KB)</u>

 <u>(https://www.health.nsw.gov.au/lnfectious/covid-19/Documents/translated/plan-ahead-covid-flu-vietnamese.pdf)</u>

Social tile: Contact your doctor if you test positive for COVID-19 - in your language

- Amharic (১প্রেক্র) Contact your doctor if you test positive for COVID-19 i (https://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/translated/contact-your-doctor-amharic.jpg)
- Arabic (العربية) Contact your doctor if you test positive for COVID-19 (htt ps://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/translated/contact-your-doctor-arabic.jpg)
- Armenian (huյμητίι) Contact your doctor if you test positive for COVID-19

 (https://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/tran slated/contact-your-doctor-armenian.jpg)
- Assyrian ()_```````) Contact your doctor if you test positive for COVID-19 ☐

 (https://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/translated/contact-your-doctor-assyrian.jpg)

- Burmese () Contact your doctor if you test positive for COVID-19 ☐

 (https://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/translated/contact-your-doctor-burmese.jpg)

- Croatian (Hrvatski) Contact your doctor if you test positive for COVID-19

 → (https://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/tran slated/contact-your-doctor-croatian.jpg)
- <u>Dari (عری)</u> <u>Contact your doctor if you test positive for COVID-19</u> (http s://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/translated/c ontact-your-doctor-dari.jpg)

- <u>Farsi (فارسی)</u> <u>Contact your doctor if you test positive for COVID-19</u> (http s://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/translated/c ontact-your-doctor-farsi.jpg)
- French (Français) Contact your doctor if you test positive for COVID-19

 (https://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/translated/contact-your-doctor-french.jpg)
- German (Deutsche) Contact your doctor if you test positive for COVID-19 ☐

 (https://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/tran slated/contact-your-doctor-german.jpg)

- <u>Hazaragi (هزاره کی) Contact your doctor if you test positive for COVID-19</u> (https://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/translated/contact-your-doctor-hazaragi.jpg)
- Hebrew (עבְרִית) Contact your doctor if you test positive for COVID-19 ☐ → (https://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/translat ed/contact-your-doctor-hebrew.jpg)

- Indonesian (bahasa) Contact your doctor if you test positive for COVID-19

 (https://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/translated/contact-your-doctor-indonesian.jpg)
- <u>Italian (Italiano) Contact your doctor if you test positive for COVID-19</u> ☐ → (https://www.health.nsw.gov.au/Infectious/covid-19/Publishinglmages/translated/contact-your-doctor-italian.jpg)

• <u>Japanese (日本語) - Contact your doctor if you test positive for COVID-19</u> ☐ → (https://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/tran slated/contact-your-doctor-japanese.jpg) Khmer () - Contact your doctor if you test positive for COVID-19 (https://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/translat ed/contact-your-doctor-khmer.jpg) Kinyarwanda - Contact your doctor if you test positive for COVID-19 ☐ → (htt ps://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/translated/ contact-your-doctor-kinyarwanda.jpg) Kirundi - Contact your doctor if you test positive for COVID-19 ☐ → (https://w) ww.health.nsw.gov.au/Infectious/covid-19/PublishingImages/translated/contac <u>t-your-doctor-kirundi.jpg</u>) • <u>Korean (한국어) - Contact your doctor if you test positive for COVID-19</u> \Box ightarrow(https://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/translat ed/contact-your-doctor-korean.jpg) Lao () - Contact your doctor if you test positive for COVID-19 ☐ → (http s://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/translated/c ontact-your-doctor-lao.jpg) • Macedonian (Македонски) - Contact your doctor if you test positive for COVI $\underline{\text{D-19}} \boxtimes \rightarrow \underline{\text{(https://www.health.nsw.gov.au/Infectious/covid-19/PublishingIma}}$ ges/translated/contact-your-doctor-macedonian.jpg) • <u>Malayalam (മലയാളം) - Contact your doctor if you test positive for COVID-19</u> (https://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/tran slated/contact-your-doctor-malayalam.jpg) ttps://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/translate d/contact-your-doctor-maltese.jpg) • Mongolian (Монгол Хэл) - Contact your doctor if you test positive for COVID-1 9 ☐ → (https://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/ translated/contact-your-doctor-mongolian.jpg) • <u>Pashto (چڼټو) - Contact your doctor if you test positive for CO</u>VID-19 ☐ → (htt ps://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/translated/ contact-your-doctor-pashto.jpg) • Polish (Jezyk polski) - Contact your doctor if you test positive for COVID-19 ☐→ (https://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/t ranslated/contact-your-doctor-polish.jpg)

• Portuguese (Português) - Contact your doctor if you test positive for COVID-1

translated/contact-your-doctor-portuguese.jpg)

9 ☑ → (https://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/

• <u>Punjabi (ਪੰਜਾਬੀ) - Contact your doctor if you test positive for COVID-19</u> 🔼 → (https://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/translat ed/contact-your-doctor-punjabi.jpg) • Russian (Русский) - Contact your doctor if you test positive for COVID-19 → (https://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/tran slated/contact-your-doctor-russian.jpg) • Samoan (Gagana Sāmoa) - Contact your doctor if you test positive for COVID-s/translated/contact-your-doctor-samoan.jpg) • <u>Sinhalese (සිංහල) - Contact your doctor if you test positive for COVI</u>D-19 (https://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/translat ed/contact-your-doctor-sinhalese.jpg) (https://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/translat ed/contact-your-doctor-serbian.jpg) Somali (Soomali) - Contact your doctor if you test positive for COVID-19 (https://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/translat ed/contact-your-doctor-somali.jpg) • Spanish (Español) - Contact your doctor if you test positive for COVID-19 (https://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/tran slated/contact-your-doctor-spanish.jpg) • Swahili (Kiswahili) - Contact your doctor if you test positive for COVID-19 → (https://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/tran slated/contact-your-doctor-swahili.jpg) • <u>Tamil (தமிழ்) - Contact your doctor if you test positive for COVID-19</u> 🖸 🔶 (htt ps://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/translated/ contact-your-doctor-tamil.jpg) • <u>Telugu (తెలుగు) - Contact your doctor if you test positive for COVID-19</u> ☐ → (ht tps://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/translated/ contact-your-doctor-telugu.jpg) • Thai (ไทย) - Contact your doctor if you test positive for COVID-19 ☐ → (http s://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/translated/c ontact-your-doctor-thai.jpg) • <u>Tibetan () - Contact your doctor if you test positive for COVID-19</u> (https://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/t ranslated/contact-your-doctor-tibetan.jpg) • Tongan (Lea faka-Tonga) - Contact your doctor if you test positive for COVID-1 $\underline{9} \square \rightarrow \underline{\text{(https://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/)}}$

translated/contact-your-doctor-tongan.jpg)

- <u>Turkish (Türkçe) Contact your doctor if you test positive for COVID-19</u> ☐ → ((https://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/translated/contact-your-doctor-turkish.jpg)</u>
- <u>Urdu (اردو)</u> <u>Contact your doctor if you test positive for COVID-19</u> <u>(http s://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/translated/contact-your-doctor-urdu.jpg)</u>
- <u>Vietnamese (Tiếng Việt) Contact your doctor if you test positive for COVID-19</u>

 ☐ → (https://www.health.nsw.gov.au/Infectious/covid-19/PublishingImages/t ranslated/contact-your-doctor-vietnamese.jpg)